



GOVERNMENT OF GUJARAT  
COMPETENT PERSON CERTIFICATE  
(Prescribed under Rule 2-A)

CERTIFICATE NO. GUJ/DISH/CPT/A/0447/2014.

CERTIFICATE OF COMPETENCY ISSUED TO A PERSON OR AN INSTITUTION IN PURSUANCE TO RULE 2(A) MADE UNDER SECTION 2(ca) OF THE FACTORIES ACT, 1948.

I, **P.M.SHAH**, Director, Industrial Safety and Health, Gujarat State in exercise of the powers conferred on me under Section 2 (ca) of the Factories Act and the rules made there under hereby recognize **Shri Shailesh Ghodhalekar** employed in **C/o. Precision Inspection Services, 1/142B, Vindravan Society, Thane, Mumbai 400 601** to be a competent person for the purpose of carrying out tests, examinations, inspections and certifications under following section/s and the rules made there under in a factory located in Gujarat State.

**1. Section 31 : Pressure Plant**

**The Certificate is Valid from Date: - 08/06/2022 to 07/06/2023.**

**This certificate is issued subject to the conditions stipulated hereunder:-**

- 1) Tests, examinations and inspections shall be carried out in accordance with the provisions of the Act and the rules made there under.
- 2) Tests, examinations and inspections shall be carried out under the direct supervision of the competent person or by a person so authorized by an institution recognized to be a competent person.
- 3) The certificate of competency issued in favour of a person shall stand cancelled if the person declared competent leaves the organization mentioned in his application.
- 4) The institution recognized as a competent person shall keep the Director, Industrial Safety & Health informed of the names, designations and qualifications of the persons authorized by it to carry out tests, examinations and inspections.
- 5) The copies of certificates of examinations / tests issued by you after due examinations / tests are to be marked to the Inspector of Factories concerned within seven days in all cases where defects are noticed and repairs or alternations are suggested on its use.
- 6) The record of the work done by the competent person should be maintained in the Log Book, incorporating therein the details regarding work done, observations made, directives given etc.
- 7) Certificate No. and validity period should invariably recorded by you in all the copies of certificates of examinations / tests signed and issued by you.
- 8) Every examination / test shall conform to the relevant standard, if it is not specified in the Act or rules made there under.
- 9) Facilities and equipments to be used by you should be maintained and kept in a good and efficient working conditions at all times and calibrated from time to time.
- 10) Application for renewal of Competent Person Certificate shall be made at least two months before the date of expiry of the certificate to the Director, Industrial Safety & Health with Log book for the period of previous nine months in case of first renewal and twelve months in case of second and subsequent renewal.
- 11) Save as provided in Rule 61(9)(a) of section 31, in no case conditional certificate shall be issued.

Station : Ahmedabad.

Date : 28/06/2022



**(P.M.SHAH)**  
Director,

Industrial Safety & Health,  
Gujarat State, Ahmedabad.